
Branching Out Ashwagandah growing suitability Taranaki

The ideal growing conditions for ashwagandah are temperatures over 10°C in Spring, with low Spring rainfall. Summer rainfall needs to be more than 450mm up to 750mm. Taranaki growers will need to irrigate. This map shows the most likely areas that will suit growth.






PLEASE NOTE: Maps are indicative only. Further research and professional advice should be sought if you wish to pursue this opportunity further. For more information please email branchingout@venture.org.nz To view interactive versions of these maps visit: https://maps.envisionz.co.nz/vtt/branching-out/mapstore

Branching Out Calendula growing suitability Taranaki

The ideal growing conditions for calendula are to have cooler temperatures - in summer most of Taranaki is suitable, as the mean temp is under 18°C (cooler summers). Loam soils with a pH over 6.4. No frostdays in spring. This map shows the most likely areas that will suit growth.






PLEASE NOTE: Maps are indicative only. Further research and professional advice should be sought if you wish to pursue this opportunity further. For more information please email branchingout@venture.org.nz To view interactive versions of these maps visit: https://maps.envisionz.co.nz/vtt/branching-out/mapstore

Branching Out Echinacea growing suitability Taranaki

The ideal growing conditions for echinacea are to be in warmer areas with a gentle slope and rich, well drained, fertile soil (free-draining loam/sandy loam, pH 6 - 8). Echinacea is a cool-tolerant plant which becomes dormant over winter. This map shows the most likely areas that will suit growth.





PLEASE NOTE: Maps are indicative only. Further research and professional advice should be sought if you wish to pursue this opportunity further. For more information please email branchingout@venture.org.nz To view interactive versions of these maps visit: https://maps.envisionz.co.nz/vtt/branching-out/mapstore